

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 4/30/2019 Revision date: 11/28/2022 Supersedes version of: 6/2/2020 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Substance name	: Olibanum frankincense organic essential oil, Kenya
EC-No.	: 232-474-1
CAS-No.	: 8050-07-5
Product code	: 10148_KEN
Type of product	: Essential oil
Product group	: Raw material

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Function or use category	: Flavoring agent, Perfuming agent, Cosmetics

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SIRIUS SAS
57 Chemin de la Métairie Haute
81580 CAMBONNET SUR LE SOR
France
T + 33 (0)5-32-09-11-72
contact@sirius-bio.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Carcinogenicity, Category 2	H351
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of causing cancer. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H341 - Suspected of causing genetic defects.
H351 - Suspected of causing cancer.
H361 - Suspected of damaging fertility or the unborn child.
H410 - Very toxic to aquatic life with long lasting effects.

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P201 - Obtain special instructions before use.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P391 - Collect spillage.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : Olibanum frankincense organic essential oil, Kenya
CAS-No. : 8050-07-5
EC-No. : 232-474-1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alpha pinene	CAS-No.: 80-56-8 EC-No.: 201-291-9 REACH-no: 01-2119519223-49	25 – 80	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Limonene	CAS-No.: 138-86-3 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223-47	1 – 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool *	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42	< 20	Skin Sens. 1B, H317
Sabinene	CAS-No.: 3387-41-5 EC-No.: 222-212-4	1 – 10	Acute Tox. 4 (Oral), H302
Myrcene	CAS-No.: 123-35-3 EC-No.: 204-622-5	0.1 – 10	Asp. Tox. 1, H304 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315
Paracymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	1 – 10	Repr. 2, H361 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 3 (Inhalation), H331
Beta Pinene	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.1 – 5	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Delta 3-carene	CAS-No.: 13466-78-9 EC-No.: 236-719-3	0.1 – 5	Skin Sens. 1, H317 Skin Irrit. 2, H315 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411
Caryophyllene epoxyde	CAS-No.: 1139-30-6 EC-No.: 214-519-7	0.1 – 5	Aquatic Chronic 2, H411

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alpha Phellandrene	CAS-No.: 99-83-2 EC-No.: 202-792-5	0.1 – 5	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 1, H410 Aquatic Acute 1, H400
Beta Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1	< 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Methyl chavicol	CAS-No.: 140-67-0 EC-No.: 205-427-8	< 5	Skin Sens. 1B, H317 Skin Irrit. 2, H315 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412 Acute Tox. 4 (Oral), H302
1,8 Cineole	CAS-No.: 470-82-6 EC-No.: 207-431-5	0.1 – 5	Flam. Liq. 3, H226 Skin Sens. 1B, H317 Eye Irrit. 2, H319
Cis Beta Ocimene	CAS-No.: 3338-55-4 EC-No.: 222-081-3	0.1 – 5	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315
Gamma terpinene	CAS-No.: 99-85-4 EC-No.: 202-794-6	0.1 – 5	Repr. 2, H361 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Terpinen-4-ol	CAS-No.: 562-74-3 EC-No.: 209-235-5	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Carvone	CAS-No.: 2244-16-8 EC-No.: 218-827-2 EC Index-No.: 606-148-00-8	< 1	Skin Sens. 1B, H317
Alpha terpineol	CAS-No.: 98-55-5 EC-No.: 202-680-6	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Alpha terpinene	CAS-No.: 99-86-5 EC-No.: 202-795-1	< 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Beta Phellandrene	CAS-No.: 555-10-2 EC-No.: 209-081-9	0.1 – 1	Asp. Tox. 1, H304 Flam. Liq. 3, H226
Beta Eudesmol	CAS-No.: 473-15-4	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Myrtenal	CAS-No.: 564-94-3 EC-No.: 209-274-8	0.1 – 1	Skin Irrit. 2, H315
Myrtenol	CAS-No.: 515-00-4 EC-No.: 208-193-5	0.1 – 1	Acute Tox. 4 (Oral), H302
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5	< 1	Skin Sens. 1B, H317 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Geraniol *	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-49	< 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Camphor	CAS-No.: 76-22-2 EC-No.: 200-945-0	< 1	STOT SE 2, H371 Skin Irrit. 2, H315 Flam. Sol. 2, H228 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332
Alpha trans bergamotene	CAS-No.: 13474-59-4	0.1 – 1	Asp. Tox. 1, H304
Methyl eugenol	CAS-No.: 93-15-2 EC-No.: 202-223-0	< 1	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Muta. 2, H341
Geranial	CAS-No.: 141-27-5 EC-No.: 205-476-5	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Carvacrol	CAS-No.: 499-75-2 EC-No.: 207-889-6	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Alpha thujone	CAS-No.: 546-80-5 EC-No.: 208-912-2	< 0.1	Acute Tox. 4 (Oral), H302
Benzyl benzoate *	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9	< 0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1	< 0.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Neral	CAS-No.: 106-26-3 EC-No.: 203-379-2	< 0.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not established.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
-------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Camphor (76-22-2)	
France - Occupational Exposure Limits	
Local name	Camphre
VME (OEL TWA)	12 mg/m ³
VME (OEL TWA) [ppm]	2 ppm
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective goggles. Protective clothing.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale yellow.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 42 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density	: 0.836 – 0.885
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index	: 1.452 – 1.474
------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

1,8 Cineole (470-82-6)

LD50 oral	2480 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Alpha pinene (80-56-8)

LD50 oral	3700 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight

Alpha terpinene (99-86-5)

LD50 oral	1680 mg/kg bodyweight
-----------	-----------------------

Alpha terpineol (98-55-5)

LD50 oral rat	4300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 oral	4300 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 3000 mg/kg OECD 402

Alpha thujone (546-80-5)

LD50 oral	500 mg/kg bodyweight
-----------	----------------------

Benzyl benzoate * (120-51-4)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 oral	1500 mg/kg bodyweight
LD50 dermal	4000 mg/kg bodyweight

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Beta Pinene (127-91-3)	
LD50 oral rat	300 – 2000 mg/kg OCDE 423
LD50 dermal rat	> 2000 mg/kg
Camphene (79-92-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: other:rat and mouse
LD50 oral	> 5000 mg/kg bodyweight Animal: mouse
LD50 dermal rat	> 2500 mg/kg bodyweight Animal:
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	> 25 mg/l air Animal:
Camphor (76-22-2)	
LD50 oral	1500 mg/kg bodyweight
LC50 Inhalation - Rat	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
Carvacrol (499-75-2)	
LD50 oral	810 mg/kg bodyweight
Carvone (2244-16-8)	
LD50 oral	2500 mg/kg bodyweight
LD50 dermal	3800 mg/kg bodyweight
Cis Beta Ocimene (3338-55-4)	
LD50 oral	5000 mg/kg bodyweight
Delta 3-carene (13466-78-9)	
LD50 oral	4800 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
Linalool * (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
LD50 dermal	5610 mg/kg bodyweight
Eugenol (97-53-0)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 oral	1500 – 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Gamma terpinene (99-85-4)	
LD50 oral	3650 mg/kg bodyweight
Geranial (141-27-5)	
LD50 dermal	2250 mg/kg bodyweight
Geraniol * (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 oral	2100 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
LD50 dermal	> 5000 mg/kg bodyweight

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limonene (138-86-3)	
LD50 oral	4400 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Methyl chavicol (140-67-0)	
LD50 oral	1230 mg/kg bodyweight
Methyl eugenol (93-15-2)	
LD50 oral	1180 mg/kg bodyweight
Neral (106-26-3)	
LD50 dermal	2250 mg/kg bodyweight
Paracymene (99-87-6)	
LD50 oral	4750 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Suspected of causing cancer.
Geraniol * (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Alpha terpineol (98-55-5)	
NOAEL (animal/male, F0/P)	≥ 750 mg/kg OECD 422
NOAEL (animal/female, F0/P)	≥ 750 mg/kg OECD 422
STOT-single exposure	: Not classified
Camphor (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
1,8 Cineole (470-82-6)	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:japanese Ministry of Economy Trade and Industry Guideline for 28 day repeat oral dose toxicity study., Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Nonrodents)
Alpha terpineol (98-55-5)	
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Benzyl benzoate * (120-51-4)	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Camphor (76-22-2)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: other:Food and Drug Administration (FDA) Good Laboratory Practice Regulations for Nonclinical Studies (GLP Guidelines)
Linalool * (78-70-6)	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eugenol (97-53-0)	
NOAEL (subchronic, oral, animal/male, 90 days)	≥ 900 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)
NOAEL (subchronic, oral, animal/female, 90 days)	450 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)

Geraniol * (106-24-1)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:

Aspiration hazard : Not classified

Linalool * (78-70-6)	
Viscosity, kinematic	5.192 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Not rapidly degradable

1,8 Cineole (470-82-6)	
LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 74 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 74 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Alpha pinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l
EC50 - Other aquatic organisms [1]	1.44 mg/l waterflea

Alpha terpineol (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Benzyl benzoate * (120-51-4)	
LC50 - Fish [1]	2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	3.09 mg/l Test organisms (species): Daphnia magna

Camphene (79-92-5)	
LC50 - Fish [1]	0.72 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.72 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.75 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Camphor (76-22-2)	
LC50 - Fish [1]	35 – 50 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	110 mg/l Test organisms (species): Pimephales promelas

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Camphor (76-22-2)	
EC50 96h - Algae [1]	6.951 mg/l Test organisms (species):
Linalool * (78-70-6)	
LC50 - Fish [1]	27.8 mg/l
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	20 mg/l waterflea
EC50 - Other aquatic organisms [2]	88.3 mg/l
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.05 mg/l Test organisms (species): Daphnia magna
Geraniol * (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	10.8 mg/l waterflea
EC50 - Other aquatic organisms [2]	13.1 mg/l
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Limonene (138-86-3)	
LC50 - Fish [1]	0.72 mg/l
EC50 - Other aquatic organisms [1]	0.36 mg/l waterflea
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Alpha pinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.32
Linalool * (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84
Geraniol * (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	3.5
Limonene (138-86-3)	
Partition coefficient n-octanol/water (Log Pow)	4.38
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapours may accumulate in the container.

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1197	UN 1197	UN 1197	UN 1197	UN 1197
14.2. UN proper shipping name				
EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID	Extracts, flavouring, liquid	EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID
Transport document description				
UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1197 Extracts, flavouring, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3	3	3	3	3
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2
Portable tank and bulk container special provisions (ADR) : TP1
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30
Orange plates :



Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 223, 955
Limited quantities (IMDG) : 5 L

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Maritime transport in bulk according to IMO instruments

Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Olibanum frankincense organic essential oil, Kenya is not on the REACH Annex XIV List

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Olibanum frankincense organic essential oil, Kenya is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Olibanum frankincense organic essential oil, Kenya is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Olibanum frankincense organic essential oil, Kenya is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Olibanum frankincense organic essential oil, Kenya is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2

Olibanum frankincense organic essential oil, Kenya

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.