

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/19/2021 Revision date: 12/8/2022 Supersedes version of: 1/19/2021 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Substance name : Clary Sage Essential Oil, Organic, French

 EC-No.
 : 283-911-8

 CAS-No.
 : 84775-83-7

 Product code
 : 10434\_FRA

 Type of product
 : Essential oil

 Product group
 : Raw material

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

# 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

SIRIUS SAS

57 Chemin de la Métairie Haute 81580 CAMBOUNET SUR LE SOR

France

T + 33 (0)5-32-09-11-72 contact@sirius-bio.com

#### 1.4. Emergency telephone number

No additional information available

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

# Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02 GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Name : Clary Sage Essential Oil, Organic, French

CAS-No. : 84775-83-7 EC-No. : 283-911-8

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4	50 – 80	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Linalool *	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	5 – 25	Skin Sens. 1B, H317
Alpha terpineol	CAS-No.: 98-55-5 EC-No.: 202-680-6	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Beta Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5	0.1 – 5	Skin Sens. 1B, H317 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Geraniol *	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	< 5	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Myrcene	CAS-No.: 123-35-3 EC-No.: 204-622-5	0.1 – 1	Asp. Tox. 1, H304 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315
Caryophyllene oxide	CAS-No.: 1139-30-6 EC-No.: 214-519-7	0.1 – 1	Aquatic Chronic 2, H411
Alpha trans bergamotene	CAS-No.: 13474-59-4	0.1 – 1	Asp. Tox. 1, H304
Neryl acetate	CAS-No.: 141-12-8 EC-No.: 205-459-2	0.1 – 1	Skin Sens. 1B, H317
Linalyle Formate	CAS-No.: 115-99-1 EC-No.: 204-120-6	0.1 – 1	Aquatic Chronic 3, H412
Alpha pinene	CAS-No.: 80-56-8 EC-No.: 201-291-9 REACH-no: 01-2119519223-	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7 REACH-no: 01-2119983244- 33	< 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319
Limonene	CAS-No.: 138-86-3 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223-	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Borneol	CAS-No.: 507-70-0 EC-No.: 208-080-0	< 1	Skin Irrit. 2, H315 Flam. Sol. 1, H228 Aquatic Chronic 2, H411

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cis Beta Ocimene	CAS-No.: 3338-55-4 EC-No.: 222-081-3	< 1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	0.1 – 1	Eye Irrit. 2, H319 Flam. Liq. 2, H225
Terpinen-4-ol	CAS-No.: 562-74-3 EC-No.: 209-235-5	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Terpinolene	CAS-No.: 586-62-9 EC-No.: 209-578-0	< 1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Sabinene	CAS-No.: 3387-41-5 EC-No.: 222-212-4	< 1	Acute Tox. 4 (Oral), H302
Beta Pinene	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Beta Phellandrene	CAS-No.: 555-10-2 EC-No.: 209-081-9	< 1	Asp. Tox. 1, H304 Flam. Liq. 3, H226
Terpenyl acetate	CAS-No.: 80-26-2 EC-No.: 201-265-7	< 0.1	Aquatic Chronic 2, H411
Farnesene	CAS-No.: n.a.	< 0.1	Asp. Tox. 1, H304
Paracymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	< 0.1	Repr. 2, H361 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 3 (Inhalation), H331
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	< 0.1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Trans-Linalool oxide	CAS-No.: 34995-77-2 EC-No.: 252-312-3	< 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Alpha terpinolene	CAS-No.: 586-62-9 EC-No.: 209-578-0	< 0.1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Gamma terpinene	CAS-No.: 99-85-4 EC-No.: 202-794-6	< 0.1	Repr. 2, H361 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Neral  Full text of H- and EUH-statements: see s	CAS-No.: 106-26-3 EC-No.: 203-379-2	< 0.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317

#### 3.2. Mixtures

Not established.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

# 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)	
France - Occupational Exposure Limits	
Local name	Alcool éthylique
VME (OEL TWA)	1900 mg/m³
VME (OEL TWA) [ppm]	1000 ppm

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)	
VLE (OEL C/STEL)	9500 mg/m³
VLE (OEL C/STEL) [ppm]	5000 ppm
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless to clear yellow. pale yellow to yellowish brown.

Odour : sweet odour. Herbaceous. Acrid.

Odour threshold: Not availableMelting point: Not applicableFreezing point: Not availableBoiling point: Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flammability : Flammable liquid and vapour.

**Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : ≈ 57 °C at 20 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : Not available Relative density : 0.89 - 0.908 Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index : 1.456 – 1.466

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alpha pinene (80-56-8)	
LD50 oral	3700 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
Alpha terpineol (98-55-5)	
LD50 oral rat	4300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 oral	4300 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 3000 mg/kg OECD 402
Borneol (507-70-0)	
LD50 oral	2500 mg/kg bodyweight

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DB0 oral   3775 mg/kg bodyweight   DB0 oral rat   200 - 2000 mg/kg OCDE 423	Alpha terpinolene (586-62-9)	
LD50 oral rat	LD50 oral	3775 mg/kg bodyweight
Linatool   7/8-70-6	Beta Pinene (127-91-3)	
Linatool * (78-70-6)	LD50 oral rat	300 – 2000 mg/kg OCDE 423
LD50 oral rat	LD50 dermal rat	> 2000 mg/kg
S8% Ct. 2440 - 3180	Linalool * (78-70-6)	
LD50 dermal rabbit   S610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% Ct.: 3578 - 8374	LD50 oral rat	
Toxicity), 95% CL: 3578 - 8374	LD50 oral	2790 mg/kg bodyweight
Camphene (79-92-5)	LD50 dermal rabbit	
D50 oral rat	LD50 dermal	5610 mg/kg bodyweight
D50 oral	Camphene (79-92-5)	
LD50 dermal rat	LD50 oral rat	> 2000 mg/kg bodyweight Animal: other:rat and mouse
LD50 dermal rabbit   > 2000 mg/kg bodyweight Animal: rabbit   > 25 mg/l air Animal:	LD50 oral	> 5000 mg/kg bodyweight Animal: mouse
LC50 Inhalation - Rat	LD50 dermal rat	> 2500 mg/kg bodyweight Animal:
LD50 oral   S000 mg/kg bodyweight	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
Ethanol (64-17-5)	LC50 Inhalation - Rat	> 25 mg/l air Animal:
Ethanol (64-17-5)	Cis Beta Ocimene (3338-55-4)	
15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560	LD50 oral	5000 mg/kg bodyweight
(Acute Oral Toxicity), 95% CL: 14450 - 15560  LD50 oral 8300 mg/kg bodyweight Animal: mouse  Gamma terpinene (99-85-4)  LD50 oral 3650 mg/kg bodyweight  Geraniol* (106-24-1)  LD50 oral 2100 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570  LD50 oral 2100 mg/kg bodyweight Animal: ratboit  LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit  LD50 dermal > 5000 mg/kg bodyweight  Limonene (138-86-3)  LD50 oral 4400 mg/kg bodyweight  LD50 dermal > 2000 mg/kg bodyweight  Neral (106-26-3)  LD50 dermal 2250 mg/kg bodyweight  Nerol (106-25-2)  LD50 oral 4500 mg/kg bodyweight  Nerol (106-25-2)  LD50 oral 4500 mg/kg bodyweight  Paracymene (99-87-6)  LD50 oral 4750 mg/kg bodyweight  Paracymene (99-87-6)  LD50 oral 4750 mg/kg bodyweight  Terpinolene (586-62-9)	Ethanol (64-17-5)	
Camma terpinene (99-85-4)	LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral   3650 mg/kg bodyweight	LD50 oral	8300 mg/kg bodyweight Animal: mouse
LD50 oral rat   3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570	Gamma terpinene (99-85-4)	
LD50 oral rat       3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570         LD50 oral       2100 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg bodyweight Animal: rabbit         LD50 dermal       > 5000 mg/kg bodyweight         LD50 oral       4400 mg/kg bodyweight         LD50 dermal       > 2000 mg/kg bodyweight         Neral (106-26-3)         LD50 dermal       2250 mg/kg bodyweight         Nerol (106-25-2)         LD50 oral       4500 mg/kg bodyweight         LD50 dermal       > 5000 mg/kg bodyweight         Paracymene (99-87-6)         LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 oral	3650 mg/kg bodyweight
LD50 oral   2100 mg/kg bodyweight   LD50 dermal rabbit   > 5000 mg/kg bodyweight Animal: rabbit   > 5000 mg/kg bodyweight   LD50 dermal   > 5000 mg/kg bodyweight     S000 mg/kg bodyweight   LD50 oral   4400 mg/kg bodyweight   LD50 dermal   > 2000 mg/kg bodyweight   S000 dermal   S000 mg/kg bodyweight   S000 dermal   S000 dermal   S000 mg/kg bodyweight   S000 dermal   S000 mg/kg bodyweight   S000 oral   S000 mg/kg bodyweight   S000 oral   S000 mg/kg bodyweight   S000 mg/kg bodyweight   S000 mg/kg bodyweight   S000 mg/kg bodyweight   S000 oral   S000 o	Geraniol * (106-24-1)	
LD50 dermal rabbit   > 5000 mg/kg bodyweight Animal: rabbit   > 5000 mg/kg bodyweight	LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal       > 5000 mg/kg bodyweight         Limonene (138-86-3)       4400 mg/kg bodyweight         LD50 oral       4400 mg/kg bodyweight         Neral (106-26-3)       2200 mg/kg bodyweight         Nerol (106-25-2)       4500 mg/kg bodyweight         LD50 oral       4500 mg/kg bodyweight         LD50 dermal       > 5000 mg/kg bodyweight         Paracymene (99-87-6)       4750 mg/kg bodyweight         LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 oral	2100 mg/kg bodyweight
Limonene (138-86-3)  LD50 oral	LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
LD50 oral       4400 mg/kg bodyweight         LD50 dermal       > 2000 mg/kg bodyweight         Neral (106-26-3)         LD50 dermal       2250 mg/kg bodyweight         Nerol (106-25-2)         LD50 oral       4500 mg/kg bodyweight         LD50 dermal       > 5000 mg/kg bodyweight         Paracymene (99-87-6)         LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 dermal	> 5000 mg/kg bodyweight
LD50 dermal   > 2000 mg/kg bodyweight	Limonene (138-86-3)	
Neral (106-26-3)         LD50 dermal       2250 mg/kg bodyweight         Nerol (106-25-2)         LD50 oral       4500 mg/kg bodyweight         LD50 dermal       > 5000 mg/kg bodyweight         Paracymene (99-87-6)       4750 mg/kg bodyweight         LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 oral	4400 mg/kg bodyweight
LD50 dermal       2250 mg/kg bodyweight         Nerol (106-25-2)       4500 mg/kg bodyweight         LD50 dermal       > 5000 mg/kg bodyweight         Paracymene (99-87-6)       4750 mg/kg bodyweight         LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 dermal	> 2000 mg/kg bodyweight
Nerol (106-25-2)           LD50 oral         4500 mg/kg bodyweight           LD50 dermal         > 5000 mg/kg bodyweight           Paracymene (99-87-6)         4750 mg/kg bodyweight           LD50 oral         4750 mg/kg bodyweight           LC50 Inhalation - Rat (Vapours)         9.7 mg/l/4h           Terpinolene (586-62-9)	Neral (106-26-3)	
LD50 oral       4500 mg/kg bodyweight         LD50 dermal       > 5000 mg/kg bodyweight         Paracymene (99-87-6)       4750 mg/kg bodyweight         LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 dermal	2250 mg/kg bodyweight
LD50 dermal   > 5000 mg/kg bodyweight	Nerol (106-25-2)	
Paracymene (99-87-6)         4750 mg/kg bodyweight           LD50 oral         4750 mg/kg bodyweight           LC50 Inhalation - Rat (Vapours)         9.7 mg/l/4h           Terpinolene (586-62-9)	LD50 oral	4500 mg/kg bodyweight
LD50 oral       4750 mg/kg bodyweight         LC50 Inhalation - Rat (Vapours)       9.7 mg/l/4h         Terpinolene (586-62-9)	LD50 dermal	> 5000 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)  9.7 mg/l/4h  Terpinolene (586-62-9)	Paracymene (99-87-6)	
Terpinolene (586-62-9)	LD50 oral	4750 mg/kg bodyweight
	LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h
	Terpinolene (586-62-9)	
		3775 mg/kg bodyweight

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Terpinolene (586-62-9)	
LD50 dermal rabbit	> 4300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Trans-Linalool oxide (34995-77-2)	
LD50 oral	1140 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Geraniol * (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
Alpha terpineol (98-55-5)	
NOAEL (animal/male, F0/P)	≥ 750 mg/kg OECD 422
NOAEL (animal/female, F0/P)	≥ 750 mg/kg OECD 422
Terpinolene (586-62-9)	
NOAEL (animal/male, F0/P)	294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Alpha terpineol (98-55-5)	
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
Linalool * (78-70-6)	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Ethanol (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Geraniol * (106-24-1)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:
Aspiration hazard	: Not classified
Linalool * (78-70-6)	
Viscosity, kinematic	5.192 mm²/s
11.2. Information on other hazards No additional information available	

# SECTION 12: Ecological information

## 12.1. Toxicity

: Harmful to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

FR - en 12/8/2022 (Revision date) 8/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic)

: Harmful to aquatic life with long lasting effects.

Not rapidly degradable

Not rapidly degradable	
Alpha pinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l
EC50 - Other aquatic organisms [1]	1.44 mg/l waterflea
Alpha terpineol (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Linalool * (78-70-6)	
LC50 - Fish [1]	27.8 mg/l
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	20 mg/l waterflea
EC50 - Other aquatic organisms [2]	88.3 mg/l
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Camphene (79-92-5)	
LC50 - Fish [1]	0.72 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.72 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.75 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Ethanol (64-17-5)	
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
Geraniol * (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	10.8 mg/l waterflea
EC50 - Other aquatic organisms [2]	13.1 mg/l
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Limonene (138-86-3)	
LC50 - Fish [1]	0.72 mg/l
EC50 - Other aquatic organisms [1]	0.36 mg/l waterflea
Terpinolene (586-62-9)	
LC50 - Fish [1]	0.805 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.634 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.692 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.302 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence ar	d degradability
----------------------	-----------------

No additional information available

## 12.3. Bioaccumulative potential

#### Alpha pinene (80-56-8)

Partition coefficient n-octanol/water (Log Pow) 4.32

#### Linalool \* (78-70-6)

Partition coefficient n-octanol/water (Log Pow) 2.84

#### **Geraniol \* (106-24-1)**

Partition coefficient n-octanol/water (Log Pow) 3.5

#### Limonene (138-86-3)

Partition coefficient n-octanol/water (Log Pow) 4.38

#### Nerol (106-25-2)

Partition coefficient n-octanol/water (Log Pow) 3.47

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods

Additional information

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Flammable vapours may accumulate in the container.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

In accordance with ADR / IMI	OG / IATA / ADN / RID			
ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1197	UN 1197	UN 1197	UN 1197	UN 1197
14.2. UN proper shippin	g name			
EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID	Extracts, flavouring, liquid	EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID
Transport document descr	iption			
UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, (D/E)	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III	UN 1197 Extracts, flavouring, liquid, 3, III	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III
14.3. Transport hazard	class(es)			
3	3	3	3	3
3	3	3		3
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
No supplementary information available				

#### 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : F1
Special provisions (ADR) : 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP1

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates

30 1197

Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG): 223, 955Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): P001, LP01

Packing instructions (IMDG) : P001,
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 : 220L CAO max net quantity (IATA) Special provisions (IATA) : A3 ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EX, A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : F1
Special provisions (RID) : 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T2

Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

#### 14.7. Maritime transport in bulk according to IMO instruments

Not established.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

No REACH Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Clary Sage Essential Oil, Organic, French is not on the REACH Annex XIV List

#### **REACH Candidate List (SVHC)**

Clary Sage Essential Oil, Organic, French is not on the REACH Candidate List

## PIC Regulation (Prior Informed Consent)

Clary Sage Essential Oil, Organic, French is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

# **POP Regulation (Persistent Organic Pollutants)**

Clary Sage Essential Oil, Organic, French is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## Ozone Regulation (1005/2009)

Clary Sage Essential Oil, Organic, French is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: O	SECTION 16: Other information				
Indication of changes					
Section	Changed item	Change	Comments		
	Supersedes	Added			
	Revision date	Added			
	Flammability (solid, gas)	Modified			
	Proper Shipping Name (RID)	Modified			
	UN-No. (RID)	Modified			
	Proper Shipping Name (IATA)	Modified			
	Proper Shipping Name (IMDG)	Modified			
2.2	Precautionary statements (CLP)	Modified			
14.1	UN-No. (ADN)	Modified			
14.1	UN-No. (IATA)	Modified			
14.1	UN-No. (IMDG)	Modified			
14.1	UN-No. (ADR)	Modified			
14.2	Proper Shipping Name (ADN)	Modified			
14.2	Proper Shipping Name (ADR)	Modified			

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 1	Flammable solids, Category 1	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.